



## R-SEAL™ Energy Code Compliance

### Thickness Required Per Prescriptive U-Values

#### 2012 IECC

	Roof	Walls
Zone 1	3"	2"
Zone 2 & 3	4"	2"
Zone 4 to 6	4"	2.5"
Zone 7 & 8	5"	2.5"

#### 2009 IECC

	Roof	Walls
Zone 1	2"	2"
Zone 2 to 5	2.5"	2"
Zone 6	3"	2"
Zone 7	3"	2.5"
Zone 8	4"	2.5"

#### 2012 WSEC\* (Washington)

	Roof	Walls
*Whole Building Test Required	4"	2.5"

#### 2012 OEESCS\* (Oregon)

	Roof	Walls
*July 1st, 2014	2.5"	2"

#### ASHRAE 90.1-2010

(British Columbia as of 12/19/2014)	Roof	Walls
Zone 1	2"	2"
Zone 2 to 5	2.5"	2"
Zone 6	3"	2"
Zone 7	3"	2.5"
Zone 8	4"	2.5"



# Pacific Insulation Products

"Tomorrow's Needs, Today's Products, Service Now"

---

## CALIFORNIA 2013 TITLE 24

	<b>Roof</b>	<b>Walls</b>
<b>Zone 1</b>	<b>2"</b>	<b>2"</b>
<b>Zone 2</b>	<b>2"</b>	<b>2.5"</b>
<b>Zone 3</b>	<b>2"</b>	<b>2"</b>
<b>Zone 4 &amp; 5</b>	<b>2"</b>	<b>2.5"</b>
<b>Zone 6 &amp; 7</b>	<b>2"</b>	<b>2"</b>
<b>Zone 8 to 16</b>	<b>2"</b>	<b>2.5"</b>